



QuikStop IIS Pneumatic Control Handle



Product Features

The PanBlast™ QuikStop IIS Pneumatic Control Handle is an ergonomic deadman device, allowing an operator to safely operate the blast nozzle without a conventional hold down handle, thus reducing operator fatigue.

- ▶ Simple ball and wrist strap device.
- ▶ Works with standard twinline hose.
- ▶ Immediate pilot air shutoff if blast hose is dropped.
- ▶ Reduces operator fatigue.

Common Applications

- ▶ General abrasive blasting operations.
- ▶ Operations requiring extended blasting uptime.

Complementary Products



Sola 5 Inlet Valve



Sola 30 Inlet Valve



AirFlo Pneumatic Handle



Blast Hoses



Sola 10 Inlet Valve




UniFlo Remote Valve



Helix 150 Remote Valve



Twinline Hose



Component Highlights



1 Anodized & Powder Coated

4 Durable Safety Release Wrist Strap

7 Activation Bumper Button

2 Spring Loaded Safety Lever Lock



5 3 mm (1/8") Universal Twin Line Connectors

8 Machined Aluminium Construction

3 Quick Release Drop Ball Assembly

6 Positive Fit Contoured Base Mount

9 Inspection Clean Out Port



Assembly

Stock Code	Description	Weight
BAC-RC-0236-04	QuikStop IIS Pneumatic Control Handle	0.3 kg (10.6 lbs)



All data and information subject to change without prior notice. Brochure reference CAT-0301-01-00



Parts List



Description	Qty	Description	Qty	Description	Qty
1 Screw	3	7 Flat Washer	1	13 Hose Barb - NPT	2
2 Base	1	8 Screw	2	14 Set Screw	1
3 Pin	1	9 Spring Washer	4	15 NPT Plug	1
4 Safety Lock Spring	1	10 Safety Lock Lever	1	16 Mounting Block	1
5 Screw	2	11 Ball With Strap	1	17 Bumper Button	1
6 Mounting Bracket	1	12 Side Wall	1	18 Shim Washer	1