



Sola 5 NPT Exhaust Valve



Product Features

The PanBlast™ Sola 5 NPT Exhaust Valve is a diaphragm activated exhaust valve utilized depressurizing compressed air from small blast pots. The NPT configuration is compatible with most U.S. pressure blasting equipment.

- ▶ Fast, positive exhaust valve actuation.
- ▶ Anodized internal valve surfaces.
- ▶ Simple maintenance.
- ▶ Parts and service kits available.
- ▶ 13 mm (1/2") NPT threads.

Common Applications

- ▶ Blast room, yard and on site operations.
- ▶ Remote control for low capacity blast pots.

Complementary Products



Sola 5 NPT Inlet Valve



Tandem Inlet Valve



QuikStop IIS Pneumatic Handle



Sola 10 Inlet Valve



AirFlo Pneumatic Handle




Sola 30 Inlet Valve



Twinline Hose



Exhaust Muffler



Component Highlights



1 Die Cast Aluminium Cap

2 Pilot Air Connection Elbow

3 Exhaust Diaphragm

4 25 mm (1") Air Exhaust Nipple

5 Exhaust Air Flow Direction

6 13 mm (1/2") Connection Nipple

7 Die Cast Aluminium Body



Assembly

Stock Code	Description	Weight
BAC-RC-PB-0018	Sola 5 NPT Exhaust Valve	0.76 kg(1.68 lbs)

Service Kits

Stock Code	Description	Include Items
BAC-RC-PB-0102	Sola 5 Diaphragm Kit	5 X 3
BAC-RC-0490-00	Sola 5 Exhaust Valve Fittings Kit	1 6 8



All data and information subject to change without prior notice. Brochure reference: CAT-0202-01-00



Parts List



Description	Qty	Description	Qty	Description	Qty
1 NPT/UNF Elbow	1	4 Diaphragm Cap	1	7 Diaphragm Body	1
2 Screw	4	5 Diaphragm	1	8 Barrel Nipple - NPT	1
3 Spring Washer	4	6 Toe Nipple - NPT	1		