



## Junior Plana NPT Valve



### Product Features

Designed for blast pots with a capacity of approximately 1ft<sup>3</sup> (30 Liters) or less, the PanBlast™ Junior Plana valve is an economical, yet durable solution for abrasive flow metering. The NPT version is intended for use with most U.S. blasting equipment.

- ▶ Low profile.
- ▶ 13 mm (1/2") NPT port size.
- ▶ Stainless steel metering tongue and stem.
- ▶ Aluminum upper and lower bodies.
- ▶ Powder coated exterior.
- ▶ Repair parts readily available.


### Common Applications

- ▶ Blast pots for touch-up operations.
- ▶ Other low-capacity general blasting operations.

### Complementary Products




Couplings & Nozzle Holders



Garnet



Aluminium Oxide



Copper Slag



Sola 5 Inlet Valve




Sola 5 Exhaust Valve



AirFlo Pneumatic Handle



Blast Hoses



## Component Highlights



1 13 mm (1/2") Abrasive Feed Outlet Port

4 Body Sealing Gasket

7 13 mm (1/2") Abrasive Feed Inlet Port




2 Light Weight Die Cast Aluminium Body

5 Nylon Spacer

8 Externally Powder Coated

3 Abrasive Metering Control Handle

6 Stainless Steel Abrasive Metering Tongue



## Assembly

Stock Code  
BAC-VA-0335-00

Description  
Junior Plana NPT Valve

Weight  
2.60 kg (5.73 lbs)



LIKE US ON FACEBOOK  
www.facebook.com/panblast

FOLLOW US ON TWITTER  
Ask ACE!@PanBlast

500 FIND US ON 500PX  
500px.com/panblast

All data and information subject to change without prior notice. Brochure reference CAT-0703-01-00



## Parts List



Description	Qty	Description	Qty	Description	Qty
1 5/16" UNC Nut	4	6 Nylon Washer	1	11 Spring	1
2 Spring Washer	4	7 O-Ring	1	12 Handle	1
3 Flat Washer	8	8 Rubber Gasket	1	13 Spring Pin	1
4 Lower Body - NPT	1	9 Upper Body - NPT	1		
5 Control Plate	1	10 Hex Head Bol	4		